

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitut for form 1449B/PTO					Complete if Known	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> <b>Date Submitted:</b> <i>(use as many sheets as necessary)</i>					<b>Application Number</b> <i>Unassigned</i> <b>Filing Date</b> <i>September 29, 2003</i> <b>First Named Inventor</b> <i>Joseph SCHLESSINGER</i> <b>Group Art Unit</b> <i>Unassigned 1644</i> <b>Examiner Name</b> <i>Unassigned</i> <b>Attorney Docket Number</b> <i>034536-0117</i>	
Sheet	1	of	4			

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document <sup>2</sup>			Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Office <sup>3</sup>	Number <sup>4</sup>	Kind Code <sup>5</sup> (if known)			
Q	A1	WO	94/03610	A1	FARMITALIA CARLO ERBA S.R.L.	02-17-1994	
Q	A2	WO	94/09037	A1	NEW YORK UNIVERSITY MEDICAL CENTER	04-28-1994	

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS								
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.						
Q	A3	CANNOLL et al., "The Expression of a novel receptor-type tyrosine phosphatase suggests a role in morphogenesis and plasticity of the nervous system," <u>Developmental Brain Research</u> , 15 October 1993, pp. 293-298, Vol. 75, No. 2						
Q	A4	CARNEY et al., "Monoclonal antibody specific for an activated RAS protein," <u>Proc. Natl. Acad. Sci. USA</u> , October 1986, pp. 7485-7489, Vol. 83						
Q	A5	GUAN et al., "Protein Tyrosine Phosphatase Activity of an Essential Virulence Determinant in Yersinia," <u>Science</u> , 3 August 1990, pp. 553-556, Vol. 249						
Q	A6	KRUEGER and SAITO, "A human transmembrane protein-tyrosine-phosphatase, PTP, is expressed in brain and has an N-terminal receptor domain homologous to carbonic anhydrases," <u>Proc. Natl. Acad. Sci. USA</u> , 1992, pp. 7417-7421, Vol. 89, No. 16						
Q	A7	LEVY et al., "The cloning of a receptor-type protein tyrosine phosphatase expressed in the central nervous system," <u>Journal of Biological Chemistry</u> , 15 May 1993, pp. 10573-10581, Vol. 268, No. 14						
Q	A8	SAIKI et al., "Enzymatic amplification of β-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia," <u>Science</u> , 20 December 1985, pp. 1350-1354, Vol. 230						
Q	A9	SCOPES, <u>Protein Purification: Principles and Practice</u> , Springer-Verlag, New York, 1987	Only content					

Examiner Signature		Date Considered	10/19/03
--------------------	---	-----------------	----------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Unique citation designation number. <sup>2</sup>See attached Kinds of U.S. Patent Documents. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

<sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, D.C. 20231.

<p align="center"><b>LIST OF REFERENCES CITED BY APPLICANT</b>  <small>(Use several sheets if necessary)</small></p> <p align="center"><i>Sheet 2 of 4</i></p>			ATTY. DOCKET NO. <b>034536-0717</b>	SERIAL NO. <b>Unassigned</b>
			APPLICANT <b>Schlessinger et al.</b>	
			FILING DATE <b>September 29, 2003</b>	GROUP <b>1694</b>

<b>U.S. PATENT DOCUMENTS</b>							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<b>FOREIGN PATENT DOCUMENTS</b>							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
	AA	WO 92/01050	1/23/92	PCT			YES NO
✓	AB	WO 94/01119	1/20/94	PCT			YES NO

<b>OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)</b>							
	AC	Kaplan et al., Cloning of three human tyrosine phosphatases reveals a multigene family of receptor-linked protein-tyrosine-phosphatases expressed in brain, Proc. Natl. Acad. Sci. USA 87: 7000-7004 (1990)					
	AD	Sap et al., Cloning and expression of a widely expressed receptor tyrosine phosphatase, Proc. Natl. Acad. Sci. USA 87: 6112-6116 (1990)					
	AE	Daurn et al., Characterization of a human recombinant receptor-linked protein tyrosine phosphatase, J. Biol. Chem., 266: 12211-12215 (1991)					
	AF	Gebbink et al., Cloning, expression and chromosomal localization of a new putative receptor-like protein tyrosine phosphatase, FEBS Lett. 290: 123-130 (1991)					
	AG	Tsai et al., Isolation and characterization of temperature-sensitive and thermostable mutants of the human receptor-like protein tyrosine phosphatase LAR, J. Biol. Chem. 266(16): 10534-10543 (1991)					
	AH	George and Parker, Preliminary characterization of phosphotyrosine phosphatase activites in human peripheral blood lymphocytes: Identification of CD45 as a phosphotyrosine phosphatase, J. Cell Biochem. 42: 71-81 (1990)					
	AI	Jirik et al., Cloning of a novel receptor-linked protein tyrosine phosphatase from a human hepatoblastoma cell line, FASEB J. 4A: 2082 (Abstr. 2253) (1990)					
	AJ	Jirik et al., Cloning and chromosomal assignment of a widely expressed human receptor-like protein-tyrosine phosphatase, FEBS Lett. 273: 239-242 (1990)					
	AK	Krueger et al., Structural diversity and evolution of human receptor-like protein tyrosine phosphatases, EMBO J. 9: 3241-3252 (1990)					
	AL	Matthews et al., Identification of an additional member of the protein-tyrosine-phosphatase family: Evidence for alternative splicing in the tyrosine phosphatase domain, Proc. Natl. Acad. Sci. USA 87: 4444-4448 (1990)					
	AM	Ohagi et al., Sequence of a cDNA encoding human LRP (leukocyte common antigen-related peptide), Nucl. Acids Res. 18: 7159 (1990)					
	AN	Streuli et al., Distinct functional roles of the two intracellular phosphatase like domains of the receptor-linked protein tyrosine phosphatases LCA and LAR, EMBO Journal 9: 2399-2407 (1990)					
	AO	Kiener and Mittler, CD45-protein tyrosine phosphatase cross-linking inhibits T-cell receptor CD3-mediated					

	AP	Mustelin et al., Rapid activation of the T-cell tyrosine protein kinase pp56lck by the CD45 phosphotyrosine phosphatase, Proc. Natl. Acad. Sci. USA 86: 6302-6306 (1989)
	AQ	Ostergaard et al., Expression of CD45 alters phosphorylation of the lck-encoded tyrosine protein kinase in murine lymphoma T-cell lines, Proc. Natl. Acad. Sci. USA 86: 8959-8963 (1989)
	AR	Hall et al., Complete exon-intron organization of the human leukocyte common antigen (CD45) gene, J. Immunol. 141: 2781-2787 (1988)
	AS	Streuli et al., A new member of the immunoglobulin superfamily that has a cytoplasmic region homologous to the leukocyte common antigen, J. Exp. Med. 168: 1523-1530 (1988)
	AT	Charbonneau et al., The leukocyte common antigen (CD45): A putative receptor-linked protein tyrosine phosphatase, Proc. Natl. Acad. Sci. USA 85: 7182-7186 (1988)
	AU	Ralph et al., Structural variants of human T200 glycoprotein (leukocyte-common antigen), EMBO J. 6: 1251-1257 (1987)
	AV	Streuli et al., Differential usage of three exons generates at least five different mRNAs encoding human leukocyte common antigens, J. Exp. Med. 166: 1548-1566 (1987)
	AW	Hariharan et al., Cloning and characterization of a receptor-class phosphotyrosine phosphatase gene expressed on central nervous system axons in <i>Drosophila melanogaster</i> , Proc. Natl. Acad. Sci. USA 88: 11266-11270 (1991)
	AX	Streuli et al., A family of receptor-linked protein tyrosine phosphatases in humans and <i>Drosophila</i> , Proc. Natl. Acad. Sci. USA 86: 8698-8702 (1989)
	AY	Gu et al., Identification, cloning, and expression of a cytosolic megakaryocyte protein-tyrosine-phosphatase with sequence homology to cytoskeletal protein 4.1, Proc. Natl. Acad. Sci. USA 88: 5867-5871 (1991)
	AZ	Lombroso et al., Molecular characterization of a protein-tyrosine-phosphatase enriched in striatum, Proc. Natl. Acad. Sci. USA 88: 7242-7246 (1991)
	BA	Yang and Tonks, Isolation of a cDNA clone encoding a human protein-tyrosine phosphatase with homology to the cytoskeletal-associated proteins band 4.1, ezrin, and talin, Proc. Natl. Acad. Sci. USA 88: 5949-5953 (1991)
	BB	Chernoff et al., Cloning of a cDNA for a major human protein-tyrosine-phosphatase, Proc. Natl. Acad. Sci. USA, 87: 2735-2739 (1990)
	BC	Cool et al., Overexpression of a T-cell protein tyrosine phosphatase (PTPase) in BHK Cells, FASEB J. 4: A2078 (abstr. 2230) (1990)
	BD	Guan et al., Cloning and expression of a protein-tyrosine-phosphatase, Proc. Natl. Acad. Sci. USA 87: 1501-1505 (1990)
	BE	Thomas, et al., ABA, A novel member of the tyrosine phosphatase family, FASEB J. 4: A2078 (Abstr. 3140) (1990)
	BF	Tonks et al., CD45, an integral membrane protein tyrosine phosphatase, J. Biol. Chem. 265: 10674-10680 (1990)
	BG	Charbonneau et al., Human placenta protein-tyrosine-phosphatase: Amino acid sequence and relationship to a family of receptor-like proteins, Proc. Natl. Acad. Sci. USA 86: 5252-5256 (1989)
	BH	Cool et al., cDNA isolated from a human T-cell library encodes a member of the protein-tyrosine-phosphatase family, Proc. Natl. Acad. Sci. USA 86: 5257-5261 (1989)
	o	Tonks et al., Purification of the major protein-tyrosine-phosphatases of human placenta, J. Biol. Chem. 263:

	BJ	Tonks et al., Demonstration that the leukocyte common antigen CD45 is a protein tyrosine phosphatase, Biochemistry 27: 8695-8701 (1988)
	BK	Matthews et al., Characterization of hematopoietic intracellular protein tyrosine phosphatases: Description of a phosphatase containing an SH2 Domain and another enriched in proline-, glutamic acid-, serine-, and threonine-rich sequences, Molec. and Cell. Biol. 12: 2396-2405 (1992)
	BL	Plutzky et al., Isolation of a src homology 2-containing tyrosine phosphatase, Proc. Natl. Acad. Sci. USA 89: 1123-1127 (1992)
	BM	Yi et al., Protein tyrosine phosphatase containing SH2 domains: characterization, preferential expression in hematopoietic cells, and localization to human chromosome 12p12-p13, Mol. and Cell. Biol. 12: 836-846 (1992)
	BN	Shen et al., A protein-tyrosine phosphatase with sequence similarity to the SH2 domain of the protein-tyrosine kinases, Nature 352: 736-739 (1991)
	BO	Klarlund, Transformation of cells by an inhibitor of phosphatases acting on phosphotyrosine in proteins, Cell 41: 707-717 (1985)
	BP	Pallen et al., Purification of a phosphotyrosine phosphatase that dephosphorylates the epidermal growth factor receptor autophosphorylation sites, Ann. N.Y. Acad. Sci. 551: 299-308 (1988)
	BQ	Butler et al., Characterization of a membrane-associated phosphotyrosyl protein phosphatase from the A431 human epidermoid carcinoma cell line, Eur. J. Biochem. 185: 475-483 (1989)
	BR	Cyert and Thorner, Putting it on and taking it off: Phosphoprotein phosphatase involvement in cell cycle regulation, Cell 57: 891-893 (1989)
	BS	Jones et al., Phosphotyrosyl-protein phosphatases, J. Biol. Chem. 264: 7747-7753 (1989)
	BT	Pingel and Thomas, Evidence that the leukocyte-common antigen is required for antigen-induced T lymphocyte proliferation, Cell 58: 1055-1065 (1989)
	BU	Pot and Dixon, A thousand and two protein tyrosine phosphatases, Biochem. Biophys. Acta. 1136: 35-43 (1992)
	BV	Fischer et al., Protein tyrosine phosphatases: A diverse family of intracellular and transmembrane enzymes, Science 253: 401-406 (1991)
	BW	Hunter, Protein-tyrosine phosphatases: The other side of the coin, Cell 58: 1013-1016 (1989)
	BX	Thomas, The leukocyte common antigen family, Ann. Rev. Immunol. 7: 339-369 (1989)
	BY	Tonks and Charbonneau, Protein tyrosine dephosphorylation and signal transduction, Trends in Biochem. Sci. 14: 497-500 (1989)
	BZ	Berger et al., Guide to Molecular Cloning Techniques, Meth. Enzymol. 152: 393-399, 415-423, 432-447, 663-704 (1987)
	CA	Towbin et al., 1979, PNAS USA 76(9): 4350-4354
	CB	Scopes, Protein Purification: Principles, and Practice (Springer-Verlag, New York, 1987) <i>Duplicate</i>
	CC	Zheng et al., 1992, "Cell transformation and activation of pp60 <sup>c-esr</sup> by overexpression of a protein tyrosine phosphatase", Nature 359: 336-339
	CD	Church et al., 1984, "Genomic sequencing", PNAS USA 81: 1991-1995

EXAMINER	<i>[Signature]</i>	DATE CONSIDERED	<i>10/14/05</i>
----------	--------------------	-----------------	-----------------